



Lift Lifestyle

Outdoor LED




outdoor wall lamp | create the future


Outdoor

Wall Lamp 户外壁灯

61101



61102



防水壁灯


尺寸:	92 × 90 × 170mm	90 × 116 × 170mm
表面处理:	阳极氧化	阳极氧化
LED:	CREE	CREE
流明:	180LM	180LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	3W	3W
工作电压:	AC86V ~ 265V	AC86V ~ 265V
驱动器:	外置	内置
IP:	65	65

WATERPROOF WALL LAMP


Size:	92 × 90 × 170mm	90 × 116 × 170mm
Finish:	Oxidation	Oxidation
LED:	CREE	CREE
Lumen:	180LM	180LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	3W	3W
Working Voltage:	AC86V ~ 265V	AC86V ~ 265V
Driver:	External	Built-in
IP:	65	65




12001




12005



12006



12007



户外壁灯

尺寸:	85 × 60 × 36mm	85 × 60 × 42mm
表面处理:	阳极氧化	阳极氧化
LED:	CREE	CREE
流明:	60LM/180LM	140LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	1W/3W	2W
工作电压:	AC86V~265V	AC86V~265V
驱动器:	内置	内置
IP:	65	65

OUTDOOR WALL LAMP

Size:	85 × 60 × 36mm	85 × 60 × 42mm
Finish:	Oxidation	Oxidation
LED:	CREE	CREE
Lumen:	60LM/180LM	140LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	1W/3W	2W
Working Voltage:	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in
IP:	65	65

户外壁灯

尺寸:	85 × 60 × 36mm
表面处理:	阳极氧化
LED:	CREE
流明:	60LM/180LM
色温:	2800K 3500K 4200K 6500K
功率:	1W/3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

OUTDOOR WALL LAMP


Size:	85 × 60 × 36mm
Finish:	Oxidation
LED:	CREE
Lumen:	60LM/180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	1W/3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65

户外壁灯


尺寸:	85 × 60 × 42mm
表面处理:	阳极氧化
LED:	CREE
流明:	140LM
色温:	2800K 3500K 4200K 6500K
功率:	2W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

OUTDOOR WALL LAMP


Size:	85 × 60 × 42mm
Finish:	Oxidation
LED:	CREE
Lumen:	140LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	2W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65




11901




11902




11903




11910



11911



11912



户外壁灯

尺寸:	80 × 80 × 35mm	80 × 80 × 35mm	80 × 80 × 35mm
表面处理:	阳极氧化	阳极氧化	阳极氧化
LED:	CREE	CREE	CREE
流明:	150LM	210LM	280LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	2W	3W	4W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	外置	外置	外置
IP:	65	65	65

OUTDOOR WALL LAMP

Size:	80 × 80 × 35mm	80 × 80 × 35mm	80 × 80 × 35mm
Finish:	Oxidation	Oxidation	Oxidation
LED:	CREE	CREE	CREE
Lumen:	150LM	210LM	280LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	2W	3W	4W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	External	External	External
IP:	65	65	65


壁灯

尺寸:	80 × 80 × 35mm	80 × 80 × 35mm	80 × 80 × 35mm
表面处理:	阳极氧化	阳极氧化	阳极氧化
LED:	CREE	CREE	CREE
流明:	150LM	210LM	280LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	2W	3W	4W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	外置	外置	外置
IP:	65	65	65


WALL LAMP

Size:	80 × 80 × 35mm	80 × 80 × 35mm	80 × 80 × 35mm
Finish:	Frosting Oxidation	Frosting Oxidation	Frosting Oxidation
LED:	CREE	CREE	CREE
Lumen:	150LM	210LM	280LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	2W	3W	4W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	External	External	External
IP:	65	65	65


11001




11005




11010



11015



11020



户外壁灯

尺寸:	Φ91 × 300 × 125mm	70 × 230 × 100mm	Φ70 × 160 × 125mm
表面处理:	烤漆 / 阳极氧化	烤漆 / 阳极氧化	烤漆 / 阳极氧化
LED:	CREE	CREE	CREE
流明:	700LM	420LM	420LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	5W × 2头	3W × 2头	3W × 2头
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置
IP:	65	65	65

OUTDOOR WALL LAMP

Size:	Φ91 × 300 × 125mm	70 × 230 × 100mm	Φ70 × 160 × 125mm
Finish:	Baking finish/Oxidation	Baking finish/Oxidation	Baking finish/Oxidation
LED:	CREE	CREE	CREE
Lumen:	700LM	420LM	420LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	10W	6W	6W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in
IP:	65	65	65


户外壁灯

尺寸:	Φ70 × 92 × 125mm	Φ70 × 160 × 125mm
表面处理:	烤漆 / 阳极氧化	烤漆 / 阳极氧化
LED:	CREE	CREE
流明:	210LM	630LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	3W	9W × 1头
工作电压:	AC86V~265V	AC86V~265V
驱动器:	内置	内置
IP:	65	65


OUTDOOR WALL LAMP

Size:	Φ70 × 92 × 125mm	Φ70 × 160 × 125mm
Finish:	Baking finish/Oxidation	Baking finish/Oxidation
LED:	CREE	CREE
Lumen:	210LM	420LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	3W	6W
Working Voltage:	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in
IP:	65	65

11025



11026



户外壁灯

尺寸:	100×230mm	Φ75×100×160mm
表面处理:	阳极氧化	阳极氧化
LED:	CREE	CREE
流明:	630LM	420LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	9W×1头	3W×2头
工作电压:	AC86V~265V	AC86V~265V
驱动器:	内置	内置
IP:	65	65

OUTDOOR WALL LAMP

Size:	100×230mm	Φ75×100×160mm
Finish:	Oxidation	Oxidation
LED:	CREE	CREE
Lumen:	420LM	420LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	6W	6W
Working Voltage:	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in
IP:	65	65




outdoor wall lamp | create the future



outdoor wall lamp | create the future

11301



户外壁灯

尺寸:	400 × 50 × 30mm
表面处理:	阳极氧化
LED:	CREE
流明:	840LM
色温:	2800K 3500K 4200K 6500K
功率:	12W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

OUTDOOR WALL LAMP


Size:	400 × 50 × 30mm
Finish:	Oxidation
LED:	CREE
Lumen:	840LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	12W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65

outdoor wall lamp | create the future




outdoor wall lamp | create the future



15001



15002



61301



户外壁灯

尺寸:	Φ60 × 120mm	Φ60 × 120mm	160 × 60 × 55.5mm
表面处理:	阳极氧化	阳极氧化	阳极氧化
LED:	CREE	CREE	CREE
流明:	210LM	210LM	420LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	3W	3W	6W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置
IP:	65	65	65

OUTDOOR WALL LAMP

Size:	Φ60 × 120mm	Φ45 × 74.5mm	160 × 60 × 55.5mm
Finish:	Oxidation	Oxidation	Oxidation
LED:	CREE	CREE	CREE
Lumen:	210LM	210LM	420LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	3W	3W	6W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in
IP:	65	65	65




garden lamp | create the future




Garden

Lamp 草坪灯

60601



12715



草坪灯

尺寸:	Φ100×1200mm	Φ100×1200mm
表面处理:	阳极氧化	阳极氧化
LED:	CREE	CREE
流明:	490LM	490LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	9W	9W
工作电压:	AC86V~265V	AC86V~265V
驱动器:	外置	外置
IP:	65	65

天花灯


GARDEN LAMP

Size:	Φ100×1200mm	Φ100×1200mm
Finish:	Oxidation	Oxidation
LED:	CREE	CREE
Lumen:	490LM	490LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	9W	9W
Working Voltage:	AC86V~265V	AC86V~265V
Driver:	External	External
IP:	65	65

CEILING LAMP



61001



草坪灯

尺寸:	710×165×83mm
表面处理:	阳极氧化
LED:	CREE
流明:	720LM
色温:	2800K 3500K 4200K 6500K
功率:	12W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

GARDEN LAMP

Size:	710×165×83mm
Finish:	Oxidation
LED:	CREE
Lumen:	720LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	12W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65

