


61020



草坪灯

尺寸:	Φ200×805mm
表面处理:	烤漆 / 阳极氧化
LED:	CREE
流明:	1080LM
色温:	2800K 3500K 4200K 6500K
功率:	18W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65


GARDEN LAMP

Size:	Φ200×805mm
Finish:	Baking finish/Oxidation
LED:	CREE
Lumen:	1080LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	18W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65



garden lamp | create the future

61401



草坪灯

尺寸:	Φ200×1600mm
表面处理:	烤漆 / 阳极氧化
LED:	CREE
流明:	1080LM
色温:	2800K 3500K 4200K 6500K
功率:	18W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65


GARDEN LAMP

Size:	Φ200×1600mm
Finish:	Baking finish/Oxidation
LED:	CREE
Lumen:	1080LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	18W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65



garden lamp | create the future

60501



草坪灯


尺寸:	Φ65 × 250mm
表面处理:	阳极氧化
LED:	CREE
流明:	150LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

GARDEN LAMP

Size:	Φ65 × 250mm
Finish:	Oxidation
LED:	CREE
Lumen:	150LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65



60801



草坪灯

尺寸:	Φ100 × 685mm
表面处理:	阳极氧化
LED:	CREE
流明:	1000LM
色温:	2800K 3500K 4200K 6500K
功率:	18W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

GARDEN LAMP


Size:	Φ100 × 685mm
Finish:	Oxidation
LED:	CREE
Lumen:	1000LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	18W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65




60505




60507




60508



60509



60510



草坪灯

尺寸:	Φ100×350mm	Φ100×407mm	Φ100×500mm	Φ100×557mm
表面处理:	烤漆 / 阳极氧化	烤漆 / 阳极氧化	烤漆 / 阳极氧化	烤漆 / 阳极氧化
LED:	CREE	CREE	CREE	CREE
流明:	1080LM	1080LM	1080LM	1080LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	18W	18W	18W	18W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置	内置
IP:	65	65	65	65

GARDEN LAMP

Size:	Φ100×350mm	Φ100×407mm	Φ100×500mm	Φ100×557mm
Finish:	Baking finish/Oxidation	Baking finish/Oxidation	Baking finish/Oxidation	Baking finish/Oxidation
LED:	CREE	CREE	CREE	CREE
Lumen:	1080LM	1080LM	1080LM	1080LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	18W	18W	18W	18W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in	Built-in
IP:	65	65	65	65

草坪灯


尺寸:	Φ100×1570mm
表面处理:	烤漆 / 阳极氧化
LED:	CREE
流明:	1080LM
色温:	2800K 3500K 4200K 6500K
功率:	18W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

GARDEN LAMP


Size:	Φ100×1570mm
Finish:	Baking finish/Oxidation
LED:	CREE
Lumen:	1080LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	18W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65




60511




60513




60515



60516



60517



草坪灯

尺寸: Φ100×900mm	Φ100×957mm	Φ100×1627mm
表面处理: 烤漆 / 阳极氧化	烤漆 / 阳极氧化	烤漆 / 阳极氧化
LED: CREE	CREE	CREE
流明: 1080LM	1080LM	1080LM
色温: 2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率: 18W	18W	18W
工作电压: AC86V~265V	AC86V~265V	AC86V~265V
驱动器: 内置	内置	内置
IP: 65	65	65

GARDEN LAMP

Size: Φ100×900mm	Φ100×957mm	Φ100×1627mm
Finish: Baking finish/Oxidation	Baking finish/Oxidation	Baking finish/Oxidation
LED: CREE	CREE	CREE
Lumen: 1080LM	1080LM	1080LM
Color Temperature: 2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power: 18W	18W	18W
Working Voltage: AC86V~265V	AC86V~265V	AC86V~265V
Driver: Built-in	Built-in	Built-in
IP: 65	65	65

草坪灯

尺寸: Φ100×1200mm	Φ100×1257mm
表面处理: 烤漆 / 阳极氧化	烤漆 / 阳极氧化
LED: CREE	CREE
流明: 1080LM	1080LM
色温: 2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率: 18W	18W
工作电压: AC86V~265V	AC86V~265V
驱动器: 内置	内置
IP: 65	65


GARDEN LAMP

Size: Φ100×1200mm	Φ100×1257mm
Finish: Baking finish/Oxidation	Baking finish/Oxidation
LED: CREE	CREE
Lumen: 1080LM	1080LM
Color Temperature: 2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power: 18W	18W
Working Voltage: AC86V~265V	AC86V~265V
Driver: Built-in	Built-in
IP: 65	65



garden lamp | create the future


61701




61702



61703



61704



61705



草坪灯

尺寸:	150 × 150 × 200mm	150 × 150 × 455mm	150 × 150 × 850mm
表面处理:	阳极氧化	阳极氧化	阳极氧化
LED:	CREE/台湾COB	CREE/台湾COB	CREE/台湾COB
流明:	350LM/700LM	350LM/700LM	350LM/700LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	5W/10W	5W/10W	5W/10W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置
IP:	65	65	65

GARDEN LAMP

Size:	150 × 150 × 200mm	150 × 150 × 455mm	150 × 150 × 850mm
Finish:	Oxidation	Oxidation	Oxidation
LED:	CREE/TAIWAN COB	CREE/TAIWAN COB	CREE/TAIWAN COB
Lumen:	350LM/700LM	350LM/700LM	350LM/700LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	5W/10W	5W/10W	5W/10W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in
IP:	65	65	65

草坪灯

150 × 150 × 600mm	150 × 150 × 350mm
阳极氧化	阳极氧化
CREE/台湾COB	CREE/台湾COB
350LM/700LM	350LM/700LM
2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
5W/10W	5W/10W
AC86V~265V	AC86V~265V
内置	内置
65	65


GARDEN LAMP

150 × 150 × 600mm	150 × 150 × 350mm
Oxidation	Oxidation
CREE/TAIWAN COB	CREE/TAIWAN COB
350LM/700LM	350LM/700LM
2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
5W/10W	5W/10W
AC86V~265V	AC86V~265V
Built-in	Built-in
65	65



garden lamp | create the future

11531



草坪灯


尺寸:	266 × 80 × 60mm
表面处理:	阳极氧化
LED:	台湾COB
流明:	210LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	外置
IP:	64

GARDEN LAMP

Size:	266 × 80 × 60mm
Finish:	Oxidation
LED:	TAIWAN COB
Lumen:	210LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	External
IP:	64



61901



草坪灯

尺寸:	Φ90×100mm
表面处理:	烤漆／阳极氧化
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	65

GARDEN LAMP


Size:	Φ90×100mm
Finish:	Baking finish/Oxidation
LED:	CREE
Lumen:	180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	65




62101



62102



62103



草坪灯

尺寸:	150×840mm	150×1000mm	150×1100mm
表面处理:	烤漆／阳极氧化	烤漆／阳极氧化	烤漆／阳极氧化
LED:	CREE	CREE	CREE
流明:	840LM	1260LM	1680LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	12W	18W	24W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置
IP:	65	65	65


GARDEN LAMP

Size:	150×840mm	150×1000mm	150×1100mm
Finish:	Baking finish/Oxidation	Baking finish/Oxidation	Baking finish/Oxidation
LED:	CREE	CREE	CREE
Lumen:	840LM	1260LM	1680LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	12W	18W	24W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in
IP:	65	65	65




garden lamp | create the future


61601




61602



61605



61606



草坪灯

尺寸:	Φ100×350mm	Φ100×407mm	Φ100×500mm	Φ100×557mm
表面处理:	阳极氧化	阳极氧化	阳极氧化	阳极氧化
LED:	CREE	CREE	CREE	CREE
流明:	210LM	210LM	210LM	210LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	3W	3W	3W	3W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置	内置
IP:	65	65	65	65

GARDEN LAMP

Size:	Φ100×350mm	Φ100×407mm	Φ100×500mm	Φ100×557mm
Finish:	Oxidation	Oxidation	Oxidation	Oxidation
LED:	CREE	CREE	CREE	CREE
Lumen:	210LM	210LM	210LM	210LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	3W	3W	3W	3W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in	Built-in
IP:	65	65	65	65

