




61801




61802



61803



61804



草坪灯

尺寸:	Φ64 × 132 × 700mm	Φ64 × 132 × 900mm	Φ64 × 200 × 900mm	Φ64 × 200 × 900mm
表面处理:	烤漆 / 阳极氧化	烤漆 / 阳极氧化	烤漆 / 阳极氧化	烤漆 / 阳极氧化
LED:	CREE	CREE	CREE	CREE
流明:	630LM	630LM	1260LM	1890LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	9W	9W	18W	27W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置	内置
IP:	65	65	65	65

GARDEN LAMP

Size:	Φ64 × 132 × 700mm	Φ64 × 132 × 900mm	Φ64 × 200 × 900mm	Φ64 × 200 × 900mm
Finish:	Baking finish/Oxidation	Baking finish/Oxidation	Baking finish/Oxidation	Baking finish/Oxidation
LED:	CREE	CREE	CREE	CREE
Lumen:	630LM	630LM	1260LM	1890LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	9W	9W	18W	27W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in	Built-in
IP:	65	65	65	65






waterproof spot lamp | create the future


Waterproof

Spot Lamp 防水射灯

60401



60405



防水射灯

尺寸:	Φ90×278mm	Φ104×308mm
表面处理:	阳极氧化	阳极氧化
LED:	CREE	CREE
流明:	210LM	420LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	3W	6W
工作电压:	AC86V~265V	AC86V~265V
驱动器:	外置	外置
IP:	65	65

WATERPROOF SPOT LAMP

Size:	Φ90×278mm	Φ104×308mm
Finish:	Oxidation	Oxidation
LED:	CREE	CREE
Lumen:	210LM	420LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	3W	6W
Working Voltage:	AC86V~265V	AC86V~265V
Driver:	External	External
IP:	65	65




waterproof spot lamp | create the future




waterproof spot lamp | create the future


15101



15105



15110




防水射灯

尺寸:	Φ65×90×135mm	Φ80×110×150mm	Φ110×145×170mm
表面处理:	阳极氧化	阳极氧化	阳极氧化
LED:	CREE	CREE	CREE
流明:	210LM	630LM	1050LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	3W	9W	15W
工作电压:	AC86V~265V	AC86V~265V	AC86V~265V
驱动器:	内置	内置	内置
IP:	65	65	65

WATERPROOF SPOT LAMP

Size:	Φ65×90×135mm	Φ80×110×150mm	Φ110×145×170mm
Finish:	Oxidation	Oxidation	Oxidation
LED:	CREE	CREE	CREE
Lumen:	210LM	630LM	1050LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	3W	9W	15W
Working Voltage:	AC86V~265V	AC86V~265V	AC86V~265V
Driver:	Built-in	Built-in	Built-in
IP:	65	65	65



waterproof spot lamp | create the future




underground lamp | create the future

Underground


Lamp 埋地灯



60101




60105




60110



60115



60120



60125



埋地灯

尺寸:	Φ44 × 95mm	Φ44 × 95mm	Φ44 × 95mm
表面处理:	阳极氧化	阳极氧化	阳极氧化
LED:	CREE	CREE	CREE
流明:	70LM	70LM	70LM
色温:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
功率:	1W	1W	1W
工作电压:	DC12V	DC12V	DC12V
驱动器:	内置	内置	内置
IP:	67	67	67

UNDERGROUND LAMP

Size:	Φ44 × 95mm	Φ44 × 95mm	Φ44 × 95mm
Finish:	Oxidation	Oxidation	Oxidation
LED:	CREE	CREE	CREE
Lumen:	70LM	70LM	70LM
Color Temperature:	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
Power:	1W	1W	1W
Working Voltage:	DC12V	DC12V	DC12V
Driver:	Built-in	Built-in	Built-in
IP:	67	67	67


埋地灯

Φ44 × 95mm	Φ30 × 95mm	Φ44 × 95mm
阳极氧化	阳极氧化	阳极氧化
CREE	CREE	CREE
70LM	70LM	70LM
2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
1W	1W	1W
DC12V	DC12V	DC12V
内置	内置	内置
67	67	67


UNDERGROUND LAMP

Φ44 × 95mm	Φ30 × 95mm	Φ44 × 95mm
Oxidation	Oxidation	Oxidation
CREE	CREE	CREE
70LM	70LM	70LM
2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K	2800K 3500K 4200K 6500K
1W	1W	1W
DC12V	DC12V	DC12V
Built-in	Built-in	Built-in
67	67	67

60901



60902



埋地灯

尺寸:	Φ79×84mm
表面处理:	阳极氧化
LED:	CREE
流明:	150LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67

UNDERGROUND LAMP

Size:	Φ79×84 mm
Finish:	Oxidation
LED:	CREE
Lumen:	150LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67

埋地灯


尺寸:	Φ72×75mm
表面处理:	阳极氧化
LED:	CREE
流明:	150LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67

UNDERGROUND LAMP

Size:	Φ72×75mm
Finish:	Oxidation
LED:	CREE
Lumen:	150LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67



60201



埋地灯

尺寸:	Φ110×100mm
表面处理:	阳极氧化
LED:	CREE
流明:	120LM/360LM
色温:	2800K 3500K 4200K 6500K
功率:	2W/6W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67


UNDERGROUND LAMP

Size:	Φ110×100mm
Finish:	Oxidation
LED:	CREE
Lumen:	120LM/360LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	2W/6W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67



underground lamp | create the future

60205



埋地灯

尺寸:	Φ110×100mm
表面处理:	阳极氧化
LED:	CREE
流明:	240LM
色温:	2800K 3500K 4200K 6500K
功率:	4W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67

UNDERGROUND LAMP

Size:	Φ110×100mm
Finish:	Oxidation
LED:	CREE
Lumen:	240LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	4W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67



underground lamp | create the future