


60310




埋地灯

尺寸:	Φ110×85mm
表面处理:	阳极氧化
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	外置
IP:	67

UNDERGROUND LAMP

Size:	Φ110×85mm
Finish:	Oxidation
LED:	CREE
Lumen:	180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	External
IP:	67

60305



埋地灯


尺寸:	Φ105×80mm
表面处理:	阳极氧化/不锈钢
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	外置
IP:	67

UNDERGROUND LAMP


Size:	Φ105×80mm
Finish:	Oxidation/Stainless Steel
LED:	CREE
Lumen:	180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	External
IP:	67




60701




60705



60710



60715



埋地灯

尺寸:	Φ65 × 90mm
表面处理:	不锈钢
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	外置
IP:	67

UNDERGROUND LAMP

Size:	Φ65 × 90mm
Finish:	Stainless Steel
LED:	CREE
Lumen:	180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	External
IP:	67

埋地灯

Φ85 × 110mm
不锈钢
CREE
370LM
2800K 3500K 4200K 6500K
6W
AC86V~265V
外置
67

UNDERGROUND LAMP

Φ85 × 110mm
Stainless Steel
CREE
370LM
2800K 3500K 4200K 6500K
6W
AC86V~265V
External
67

埋地灯

Φ100 × 110mm
不锈钢
CREE
310LM
2800K 3500K 4200K 6500K
5W
AC86V~265V
外置
67

UNDERGROUND LAMP

Φ100 × 110mm
Stainless Steel
CREE
310LM
2800K 3500K 4200K 6500K
5W
AC86V~265V
External
67

埋地灯

Φ130 × 110mm
不锈钢
CREE
420LM
2800K 3500K 4200K 6500K
7W
AC86V~265V
外置
67

UNDERGROUND LAMP

Φ130 × 110mm
Stainless Steel
CREE
420LM
2800K 3500K 4200K 6500K
7W
AC86V~265V
External
67

60720



60725



60730



60735



埋地灯

尺寸:	Φ120×110mm
表面处理:	不锈钢
LED:	CREE
流明:	420LM
色温:	2800K 3500K 4200K 6500K
功率:	6W
工作电压:	AC86V~265V
驱动器:	外置
IP:	67

UNDERGROUND LAMP

Size:	Φ120×110mm
Finish:	Stainless Steel
LED:	CREE
Lumen:	420LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	6W
Working Voltage:	AC86V~265V
Driver:	External
IP:	67

埋地灯

Φ160×110mm
不锈钢
CREE
1050LM
2800K 3500K 4200K 6500K
15W
AC86V~265V
外置
67

UNDERGROUND LAMP

Φ160×110mm
Stainless Steel
CREE
1050LM
2800K 3500K 4200K 6500K
15W
AC86V~265V
External
67

埋地灯

Φ200×90mm
不锈钢
CREE
1680LM
2800K 3500K 4200K 6500K
24W
AC86V~265V
外置
67

UNDERGROUND LAMP

Φ200×90mm
Stainless Steel
CREE
1680LM
2800K 3500K 4200K 6500K
24W
AC86V~265V
External
67


埋地灯

Φ300×90mm
不锈钢
CREE
2660LM
2800K 3500K 4200K 6500K
38W
AC86V~265V
外置
67



UNDERGROUND LAMP

Φ300×90mm
Stainless Steel
CREE
2660LM
2800K 3500K 4200K 6500K
38W
AC86V~265V
External
67


62001




62002



62003



62004



埋地灯

尺寸:	80 × 80 × 106mm
表面处理:	阳极氧化
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67

UNDERGROUND LAMP

Size:	80 × 80 × 35mm
Finish:	Oxidation
LED:	CREE
Lumen:	110~180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	1~3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67

埋地灯

尺寸:	104 × 104 × 106mm
表面处理:	阳极氧化
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67

UNDERGROUND LAMP

Size:	104 × 104 × 106mm
Finish:	Oxidation
LED:	CREE
Lumen:	180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67

埋地灯

尺寸:	80 × 80 × 106mm
表面处理:	阳极氧化
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67

UNDERGROUND LAMP

Size:	80 × 80 × 106mm
Finish:	Oxidation
LED:	CREE
Lumen:	180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67


埋地灯

尺寸:	64 × 100 × 106mm
表面处理:	阳极氧化
LED:	CREE
流明:	180LM
色温:	2800K 3500K 4200K 6500K
功率:	3W
工作电压:	AC86V~265V
驱动器:	内置
IP:	67

UNDERGROUND LAMP

Size:	64 × 100 × 106mm
Finish:	Oxidation
LED:	CREE
Lumen:	180LM
Color Temperature:	2800K 3500K 4200K 6500K
Power:	3W
Working Voltage:	AC86V~265V
Driver:	Built-in
IP:	67

62201



埋地灯

尺寸：	Φ65×72mm
表面处理：	阳极氧化
LED：	CREE
流明：	180LM
色温：	2800K 3500K 4200K 6500K
功率：	3W
工作电压：	AC86V~265V
驱动器：	外置
IP：	67

UNDERGROUND LAMP

Size：	Φ65×72mm
Finish：	Oxidation
LED：	CREE
Lumen：	180LM
Color Temperature：	2800K 3500K 4200K 6500K
Power：	3W
Working Voltage：	AC86V~265V
Driver：	External
IP：	67



underground lamp | create the future

62202



埋地灯

尺寸：	Φ45×63.5mm
表面处理：	阳极氧化
LED：	CREE
流明：	180LM
色温：	2800K 3500K 4200K 6500K
功率：	3W
工作电压：	AC86V~265V
驱动器：	外置
IP：	67

UNDERGROUND LAMP

Size：	Φ45×63.5mm
Finish：	Oxidation
LED：	CREE
Lumen：	180LM
Color Temperature：	2800K 3500K 4200K 6500K
Power：	3W
Working Voltage：	AC86V~265V
Driver：	External
IP：	67



underground lamp | create the future

